


**FIG. 304.3.2**
**T-SHAPED TURNING SPACE**




**FIG. 403.5.1**
**CLEAR WIDTH OF AN ACCESSIBLE ROUTE**




NOTE: DIMENSIONS SHOWN APPLY WHEN X < 48".
(A) 180 DEGREE TURN




(B) 180 DEGREE TURN (EXCEPTION)

**FIG. 403.5.2**
**CLEAR WIDTH AT TURN**




**FIG. 703.4.1**
**HEIGHT OF TACTILE CHARACTERS ABOVE FINISH FLOOR OR GROUND**




**FIG. 703.3.2**
**POSITION OF BRAILLE**

| MEASUREMENT RANGE | MINIMUM IN INCHES<br>MAXIMUM IN INCHES |
|---|---|
| DOT BASE DIAMETER | 0.059" (1.5 MM) TO 0.063" (1.6 MM) |
| DISTANCE BETWEEN CORRESPONDING DOTS IN THE SAME CELL | 0.090" (2.3 MM) TO 0.100 (2.6 MM) |
| DISTANCE BETWEEN CORRESPONDING DOTS DOTS IN ADJACENT CELLS | 0.241 (6.1 MM) TO 0.300 (7.6 MM) |
| DOT HEIGHT | 0.395 (10 MM) TO 0.400 (10.2 MM) |
| DISTANCE BETWEEN CORRESPONDING DOTS FROM ONE CELL DIRECTLY BELOW | 0.395 (10 MM) TO 0.400 (10.2 MM) |

**TABLE 703.3.1**
**BRAILLE DIMENSIONS**

MANEUVERING, TURNING & CLEAR FLOOR SPACE




**FIG. 703.4.2**
**LOCATION OF TACTILE SIGNS AT DOORS**




**FIG. 305.3**
**CLEAR FLOOR OR GROUND SPACE**




**FIG. 305.5**
**POSITION OF CLEAR FLOOR OR GROUND SPACE**




**FIG. 305.7.1**
**MANEUVERING CLEARANCE IN AN ALCOVE, FORWARD APPROACH**




**FIG. 305.7.2**
**MANEUVERING CLEARANCE IN AN ALCOVE, PARALLEL APPROACH**




**FIG. 308.2.1**
**UNOBSTRUCTED FORWARD REACH**




**FIG. 308.2.2**
**OBSTRUCTED HIGH FORWARD REACH**




**FIG. 308.3.1**
**UNOBSTRUCTED SIDE REACH**




**FIG. 308.3.2**
**OBSTRUCTED HIGH SIDE REACH**

SEATING CLEARANCE, CLEAR FLOOR SPACE,APPROACHES, ALCOVES,& REACH RANGES




**FIG. 704.2.1.1**
**PARALLEL APPROACH TO TELEPHONE**




**FIG. 704.2.1.2**
**FORWARD APPROACH TO TELEPHONE**




**FIG. 410.6**
**PLATFORM LIFT DOORS AND GATE**




**FIG. 602.5**
**DRINKING FOUNTAIN SPOUT LOCATION**




**FIG. 608.5.3**
**ALTERNATE ROLL-IN TYPE SHOWER COMPARTMENT CONTROL LOCATION**




**FIG. 610.2**
**BATHTUB SEATS**

WATER FOUNTAINS, AND SERVING LINES HEIGHTS AT PHONES,




**FIG. 604.2**
**WATER CLOSET LOCATION**




**FIG. 604.3.1**
**SIZE OF CLEARANCE AT WATER CLOSETS**




**FIG. 604.3.2**
**(EXCEPTION)OVERLAP OF WATER CLOSET CLEARANCE IN (RESIDENTIAL UNITS)**




**FIG. 604.5.1**
**SIDE WALL GRAB BAR AT WATER CLOSETS**




**FIG. 604.5.2**
**REAR WALL GRAB BAR AT WATER CLOSETS**




**FIG. 604.7**
**DISPENSER OUTLET LOCATION**




**FIG. 604.8.2**
**AMBULATORY ACCESSIBLE TOILET COMPARTMENT**




**FIG. 605.2**
**HEIGHT AND DEPTH OF URINALS**




**FIG. 609.3**
**SPACING OF GRAB BARS**

LAVATORIES, WATER CLOSETS & TOILET STALLS




**FIG. 607.2**
**CLEARANCE FOR BATHTUBS**




**FIG. 607.4.1**
**GRAB BARS FOR BATHTUBS WITH PERMANENT SEATS**




**FIG. 604.8.1.1**
**SIZE OF WHEELCHAIR ACCESSIBLE TOILET COMPARTMENT**




**FIG. 610.3.1**
**RECTANGULAR SHOWER SEAT**




**FIG. 610.3.2**
**L-SHOWER SEAT**




**FIG. 608.3.1**
**GRAB BARS FOR TRANSFER TYPE SHOWERS**




**FIG. 604.8.1.4**
**WHEELCHAIR ACCESSIBLE TOILET COMPARTMENT TOE CLEARANCE**

SINKS AND BATH TUBS WITH AND WITHOUT SEATS




**FIG. 608.2.1**
**SHOWER SIZE AND CLEARANCES 36" BY 36" STALL**




**FIG. 608.2.2**
**STANDARD ROLL-IN TYPE SHOWER COMPARTMENT SIZE AND CLEARANCE**




**FIG. 608.2.3**
**ALTERNATE ROLL-IN TYPE SHOWER COMPARTMENT SIZE AND CLEARANCE**




**FIG. 608.5.1**
**TRANSFER TYPE SHOWER COMPARTMENT CONTROL LOCATION**




**FIG. 608.3.3**
**GRAB BARS FOR ALTERNATE ROLL-IN TYPE SHOWERS**




**FIG. 608.3.2**
**GRAB BARS FOR STANDARD ROLL-IN TYPE SHOWERS**




**FIG. 804.2.2**
**U-SHAPED KITCHENS**




**FIG. 804.2.1**
**PASS THROUGH KITCHENS**

SHOWERS: ROLL IN & TRANSFER STALLS


SLI GROUP, INC.
ARCHITECTURE | DESIGN | CONSTRUCTION
15810 PARK TEN PLACE, SUITE 300
HOUSTON, TEXAS 77084
713-465-4650
www.sligroup.com


© COPYRIGHT

Gulf Coast Educators FEDERAL CREDIT UNION

9001 Spencer Highway
Deer Park, Texas 77571
Suites B & C

Project Number : 8985

| | DATE |
|---|---|
| ISSUED FOR CLIENT APPROVAL | |
| ISSUED FOR BIDDING | 07/13/26 |
| ISSUED FOR PERMIT | 07/13/26 |
| ISSUED FOR CONSTRUCTION | |

**REVISIONS**

| MARK | DESCRIPTION | DATE |
|---|---|---|
| | | |

The information, ideas, designs, details, layouts, techniques, features, arrangements, plans, sequences, dimensions, allowances, tolerances, conceptions, specifications, intentions, technology or embodiments, as illustrated, arranged, displayed, noted, recorded, indicated, represented, disclosed, evidenced, detailed or otherwise reduced to tangible form hereon, either expressly, inherently or by implication, are the confidential and proprietary information of SLI Design, Inc., and shall not be used for any purpose other than the specific project or undertaking identified on the drawing title block or legend for which they are and have been prepared by SLI Design, Inc. Any other reproduction, disclosure or use of any portion of the confidential and proprietary information of SLI Design, Inc., shall be a breach of the obligation of confidence created by the acceptance of this drawing from SLI Design, Inc. for a specific project or Contract. Any copying, duplicating, reproducing, utilization, alteration, modification, revision or change to this drawing, is expressly prohibited unless done with the prior written consent or approval of SLI Design, Inc., and shall not be undertaken without receipt of such prior written approval. This drawing is loaned by SLI Design, Inc., for the limited purpose of complying with a specific Contract. The drawing remains the property of SLI Design, Inc., and shall be returned upon request or completion of the contract, unless specifically authorized by Contract, under which it was loaned.

PRINT DATE: 7/13/2026 4:49:38 PM

REGISTERED ARCHITECT THOMAS B. APPER 14288 STATE OF TEXAS
07/13/26

DRAWING TITLE
**ACCESSIBILITY ELEMENT COMPLIANCE**

| | | |
|---|---|---|
| DRAWN BY | DRW | SHEET NO. |
| CHECKED BY | CHK | A-0.10 |
| APPROVED BY | APR | |