

1. NOTIFY ARCHITECT OF ANY DISCREPANCIES AND/OR OMISSIONS.
2. REMODEL PROJECTS REQUIRE FIELD VERIFICATION BY SUBCONTRACTOR.
3. SAMPLE SHALL BE SUBMITTED TO ARCHITECT FOR APPROVAL.

- 2 ea. Top Pivot - (by storefront manufacturer)
- 2 ea. Intermediate Pivot - (by storefront manufacturer)
- 2 ea. Bottom Pivot - (by storefront manufacturer)
- 1 ea. Threshold - (by storefront manufacturer, to match existing)
- 1 Push and pull bar set
- 1 set Weatherstripping - (by storefront manufacturer)
- 2 ea. Closer - (by storefront manufacturer)
- 1 set Flush Bolt (top & bottom, by storefront manufacturer)
- 1 ea. Cylinder with Double Key Lock and Lock Indicator on Interior Side - (by storefront manufacturer)


1 1/2 pr. Butts - Hager BB1279 4 1/2 x 4
1 ea. Passage Set - Hager 2510 Whithnell
1 ea. Floor Stop - Hager 242F

1 1/2 pr. Butts - Hager BB1279 4 1/2 x 4
1 ea. Office Lockset - Hager 2550 Whithnell
1 ea. Floor Stop - Hager 242F


1 1/2 pr. Butts - Hager BB1279 4 1/2 x 4
1 ea. Office Lockset - Hager 2580 Whithnell
1 ea. Floor Stop - Hager 242F

1 1/2 pr. Butts - Hager BB1279 4 1/2 x 4
1 ea. Privacy w/Indicator - Yale YPL02
1 ea. Closer 210 Par 689 Morton
1 ea. Floor Stop - Hager 242F


DOOR #	LOCATION		HAND	TYPE	DOOR		WIDTH	HEIGHT	FRAME	SET	FINISH	NOTES
	FROM	TO			FINISH	FINISH						
100	EXTERIOR	VESTIBULE 100A	LHR/RHR	A			6' - 0"	7' - 0"	ALUMINUM	01	CLEAR ANODIZED	GLASS SLIDER
101	VESTIBULE 100A	LOBBY 100B		C			7' - 6"	8' - 3 1/8"	ALUMINUM			
102	LOBBY 100B	CONFERENCE 114	LH	B			3' - 0"	8' - 0"	ALUMINUM	02	CLEAR ANODIZED	
103	LOBBY 100B	OFFICE 101	RH	B			3' - 0"	8' - 0"	ALUMINUM	03	CLEAR ANODIZED	
104	OFFICE 101	ATM 101A	LHR	B			3' - 0"	7' - 0"	ALUMINUM	04	CLEAR ANODIZED	
105	LOBBY 100B	OFFICE 102	RH	B			3' - 0"	8' - 0"	ALUMINUM	03	CLEAR ANODIZED	
106	LOBBY 100B	OFFICE 103	RH	B			3' - 0"	8' - 0"	ALUMINUM	03	CLEAR ANODIZED	
107	LOBBY 100B	OFFICE 104	RH	B			3' - 0"	8' - 0"	ALUMINUM	03	CLEAR ANODIZED	
108	HALL 111	WOMEN 113	RH	B			3' - 0"	8' - 0"	ALUMINUM	05	CLEAR ANODIZED	
109	HALL 111	MEN 112	LH	B			3' - 0"	8' - 0"	ALUMINUM	05	CLEAR ANODIZED	
110	HALL 105	WORK ROOM 110	LHR	B			3' - 0"	8' - 0"	ALUMINUM	02	CLEAR ANODIZED	
111	BREAK ROOM 105	JANITOR 106	LHR	B			3' - 0"	8' - 0"	ALUMINUM	04	CLEAR ANODIZED	
112	BREAK ROOM 105	DATA 107	LHR	B			3' - 0"	8' - 0"	ALUMINUM	04	CLEAR ANODIZED	
113	BREAK ROOM 105	STORAGE 108	LHR	B			3' - 0"	8' - 0"	ALUMINUM	04	CLEAR ANODIZED	
114	WORK ROOM 110	ELEC 109	LHR	B			3' - 0"	8' - 0"	ALUMINUM	04	CLEAR ANODIZED	
115	EXTERIOR	WORK ROOM 110	RHR	EXISTING			3' - 0"	7' - 0"				EXISTING



6 DOOR TYPE C
1/4" = 1'-0"



5 DOOR TYPE B
1/4" = 1'-0"



4 DOOR TYPE A
1/4" = 1'-0"

WHERE FIRE RESISTIVE GYPSUM WALLBOARD CONSTRUCTION IS INDICATED, PROVIDE "TYPE X" GYPSUM WALLBOARD AND PROVIDE SEALANT AT PERIMETER AND ALL PENETRATIONS, TYPICAL BOTH SIDES OF PARTITION. MARKINGS AND IDENTIFICATIONS REQUIRED ABOVE WALLS PER IBC 703.7 (15FT OFF END WALLS AND 30 FT MAX INTERNALS)

The diagram shows a cross-section of a wall. On the left, there is a vertical line representing the wall face. To its right, there is a vertical line representing the centerline of the wall. A horizontal line extends from the centerline to the right, labeled 'L'. A diagonal line, representing a brace, is shown intersecting the wall. The text 'SUPPLEMENTAL BRACING' is on the left, with an arrow pointing to the diagonal brace. The text 'LIMITING HEIGHT' is on the left, with an arrow pointing to the horizontal line labeled 'L'.

FOR PARTITION WITH "BRITTLE" FINISHES SUCH AS PLASTER AND CERAMIC TILE, DESIGN PARTITION SYSTEM TO MAINTAIN DEFLECTION RATIO WITHIN 1/360.


SUSPENDED CEILING SHALL NOT BE CONSIDERED AS BRACING.

PROVIDE DUROCK CEMENT BOARD AS SUBSTRATE FOR APPLICATION OF CERAMIC TILE.

PROVIDE GREENBOARD IN ALL RESTROOMS, JANITOR CLOSETS AND BEHIND WATER FOUNTAINS.

STC RATINGS FOR SOUND WALLS ARE BASED ON LABORATORY TESTED ASSEMBLIES AND DO NOT NECESSARILY INDICATE THE ACTUAL STC RATING OF THE COMPLETED WORK.

3 GENERAL NOTES - INTERIOR PARTITIONS (A-3.00)
1 1/2" = 1'-0"



PARTITION TYPE:  GENERAL SCALE : N.T.S.

2 PARTITION C - MTL STUD
3" = 1'-0"